



P559000

LUBE FILTER, SPIN-ON FULL FLOW

Why Choose Donaldson Lube Filters?

Donaldson lube filters are designed to keep today's engine lube systems functioning at peak performance.

- Keep oil clean by capturing contaminants that cause engine damage.
- Include heavy duty components that are built to perform, built to last.
- Deliver essential engine protection for maximum cold flow performance.

Attributes

| | |
|---------------------|---------------------|
| Efficiency 97.6% | 15 micron |
| Outer Diameter | 4.65 inch (118 mm) |
| Thread Size | M95 x 2.5 |
| Length | 11.69 inch (297 mm) |
| Gasket OD | 4.69 inch (119 mm) |
| Gasket ID | 4.02 inch (102 mm) |
| Efficiency Test Std | ISO 4548-12 |
| Media Type | Synteq |
| Collapse Burst | 149 psi (10.3 bar) |


| | |
|-------|-----------|
| Type | Full-Flow |
| Style | Spin-On |

Packaged Dimensions

| | |
|-----------------|------------|
| Packaged Length | 0.38 FT |
| Packaged Width | 0.38 FT |
| Packaged Height | 0.96FT |
| Packaged Weight | 3.4 LB |
| Packaged Volume | 0.1408 FT3 |

Other Information

| | |
|-------------------|--------------|
| Country of Origin | Mexico |
| NMFC Code | 069100-09 |
| HTS Code | 8421230000 |
| UPC Code | 742330111031 |

Proposition 65 Notice for California: 
WARNING

This product can expose you to chemicals including Formaldehyde, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The information contained herein is general in nature and may not reflect actual information regarding the part at time of shipment. Parts may originate in more than one country – the actual country of origin and HS Code will be reflected on the Commercial Invoice(s) that accompanies the goods.